

# **BJ WALLER**

**ARCHITECTURAL IRONMONGERS**



**ADJUSTABLE  
SHELVING SOLUTIONS**

## SHELVING

# INTRODUCTION



elfa® twin slot shelving originates from the first patent for twin slot systems by Sparring in 1947. Since then design, function and flexibility have been guidelines when developing new systems and products. The twin slot system has stood the test of time and is still one of the best ways to utilise wall space for storage. It works well both in domestic and commercial environments.

Designed and manufactured by Scandinavia's leading producer of storage solutions - the elfa® range features a traditional double-slot system, a new hanging system and drawer systems.

Built to exacting standards, using high grade steel for unwavering strength and support, the system feature an epoxy polyester finish that will not peel, fade or collect dust like many other types of material.



## Housing projects

- Bedrooms
- Living rooms
- Hallways
- Home office
- Garages
- Sheds and outhouses

## In the workplace

### Offices & Factories

- Anywhere in the office
- Libraries, records and archives
- Stores
- Laboratories



## In public buildings

### Hospitals

- Wards
- Storage rooms
- Laboratories
- Laundry rooms

### Schools & Universities

- Libraries, records and archives
- Classrooms



**SHELVING**

# CONTENTS

Regular Twin Slot Traditional Shelving by elfa®	Page 4
Regular Twin Slot Brackets & Accessories	Page 5
Regular Twin Book Supports and Shelf Ends	Page 8
Hang System Top Track and Hang Standards / Uprights	Page 9
Ventilated Shelving for Hang System	Page 10
elfa® Drawer System	Page 12
elfa® décor	Page 13

**SHELVING**

# Regular Twin Slot Traditional Shelving by elfa®





## Traditional Standards / Uprights

### Features

- The elfa® Twin Slot System features the traditional shelving uprights which are screwed to the wall and available in 8 lengths from 316mm to 2396mm.
- The uprights are complemented with 9 different sizes of support brackets which are suitable for use with both melamine and veneered shelves.
- Both standards and brackets are available in White.
- Bookends and fixing kits are available.
- Ventilated shelf brackets and shelves can be used in conjunction with twin slot standards.

### Construction


- Made in eight standard lengths of 2mm cold-rolled steel. Double slot holes with 32mm spacing. Countersunk screw holes.



ID Number	Description	Finish
87100157	V32 316mm upright (2 screw holes)	White
87100158	V64 636mm upright (3 screw holes)	White
87100159	V96 956mm upright (3 screw holes)	White
87100160	V128 1276mm upright (4 screw holes)	White
87100161	V160 1596mm upright (5 screw holes)	White
87100162	V192 1916mm upright (5 screw holes)	White
87100163	V224 2236mm upright (6 screw holes)	White
87100164	V240 2396mm upright (6 screw holes)	White

**SHELVING**

## Regular Twin Slot Brackets & Accessories



### Bracket for Solid Shelving

**Features**

- Recommended max. load kg/bracket: 55kg.
- Used for melamine, wooden and veneered shelves.

ID Number	Description	Finish
87100173	120mm bracket	White
87100174	170mm bracket	White
87100175	220mm bracket	White
87100176	270mm bracket	White
87100177	320mm bracket	White
87100178	370mm bracket	White
87100179	470mm bracket	White
87100180	570mm bracket	White
87107666	670mm bracket	White



### Slanting Bracket

**Features**

- Angle 25°. Used for angled shelving, such as magazine displays and drafting/art desks.
- Recommended maximum load weight 40kg.

ID Number	Description	Finish
87107668	270mm slanting bracket	White

**SHELVING**

## Regular Twin Slot Brackets & Accessories



### Rod Bracket for Shelving

**Features**

- Used for horizontal shelving. Holder with snap lock for rods diameter 25mm. Recommended maximum load 30 kg at the bracket end.

ID Number	Description	Finish
87107665	325mm rod bracket	White



### Double-Sided Shelf Joiner

**Features**

- Used for joining two shelves/cabinets directly above a bracket.
- Secured with screws (included).

ID Number	Description	Finish
87107660	Double sided shelf joiner 6 pack	White



### Shelf Screws for Brackets


**Features**

- 10 pieces of 3.5 x 38mm shelf screws (TFX).
- 10 pieces of 3.5 x 51mm shelf screws (TFX).

ID Number	Description
87107661	10 pcs TFX 3.5x38 mm, and 10 pcs TFX 3.5x51 mm

**SHELVING**

## Regular Twin Slot Brackets & Accessories




### Screws and Plugs

**Features**

- For wood, concrete and brick walls.
- 4.8 x 64mm with countersunk head.
- Plastic plugs.
- Refer to installation guidelines provided.


ID Number	Description	Finish
87100377	Pack of 10 Screws & Plugs	Zinc-Plated



### Hollow Wall Anchor

**Features**

- For 3 - 17mm plaster or particle board walls.
- Zinc-plated screw with countersunk head.
- Plastic anchor.
- The grey spacer is not used with the top track.
- Refer to installation guidelines provided.





ID Number	Description
87107662	Pack of 4 Wall Anchors



**SHELVING**

## Hang System Top Track and Hang Standards / Uprights



### Top Track Safety (elfa® BLS)

**Features**

- The elfa® Hang System is simple to select and easy to fit. The only component that actually requires 'fixing' is the top track - once secured all other components simply snap on, enabling you to change the configuration of your system without having to re-drill and leave unsightly holes.
- Traditional twin slot brackets can also be used with the hang system standards allowing it to be fitted with solid shelves as an alternative to the specially designed elfa® ventilated shelves.
- Recommended when maximum versatility is required. Centre-to-centre distance between screw holes is 203mm. The distance from outer edge to first screw hole is 102mm. Countersunk screw holes. The top track has a built-in patented safety mechanism. Hang standards can not be removed from the top track other than from the particular slots in the top of the top track.

ID Number	Description	Finish
87107776	813mm top track (4 screw holes)	White
87107777	2031mm top track (10 screw holes)	White

### Hang Standards / Uprights

**Features**

- Made of 2mm cold-rolled steel. Double slot holes with 32mm spacing.

ID Number	Description	Finish
87100384	1210mm upright	White
87100385	2010mm upright	White



## SHELVING

### Ventilated Shelving for Hang System



#### elfa® Ventilated Shelving

##### Features

- Wire shelf manufactured with 2.5mm and 6.0mm transverse and longitudinal wires. Centre-to-centre, the transverse wire is 14mm.
- Available in five standard lengths and three standard depths.
- If required, the shelf length can be shortened by end user.

ID Number	Description	Finish
87107780	610 x 306mm ventilated shelf	White
87107782	610 x 406mm ventilated shelf	White



#### Shelf Basket

ID Number	Description	Finish
87107787	610 x 437 x 96mm shelf basket	White



#### Brackets for elfa® Ventilated Shelf

##### Features

- Recommended max. load kg/bracket: 55kg.

ID Number	Description	Finish
87100388	320mm ventilated shelf bracket	White
87100389	420mm ventilated shelf bracket	White



#### Bracket Cover

##### Features

- Fits brackets for elfa® 320mm and 420mm ventilated shelves.
- Used to end the shelving section.

ID Number	Description	Finish
87107769	Left bracket cover for 320mm brackets	White
87107771	Right bracket cover for 320mm brackets	White
87107774	Right bracket cover for 420mm brackets	White

## SHELVING

# Ventilated Shelving for Hang System



## Shelf Basket Divider

### Features

- To divide the shelf basket into small sections or to use as a shelf end.
- 2-pack.

ID Number	Description	Finish
87107789	10 x 334 x 95mm shelf basket divider	Transparent
87107790	10 x 427 x 91mm shelf basket divider	Transparent



## Closet Rod Holder

### Features

- Fits brackets for elfa® 320mm and 420mm ventilated shelves and fits closet rod with a diameter of 25mm.
- The centre of the closet rod is 235mm from the wall and 65mm from the shelf.

ID Number	Description	Finish
87100404	Closet Rod Holder	White



## Closet Rod and End Caps

### Features

- Dimension of rod is  $\varnothing$  25mm x 0.7mm.
- Available in three standard lengths.

ID Number	Description	Finish
87105821	1245mm closet rod	Chrome
87111927	End caps 2 pack	Chrome



## Utility Hook

### Features

- Robust hook that can be attached to shelf racks and elfa® ventilated shelving and shelf baskets.

ID Number	Description	Finish
87107791	Utility Hook 3 pack	White

**SHELVING**

**elfa® Drawer System**



**Drawer Kits**

**Features**

- The elfa® Drawer System combines maximum flexibility with minimum fixing requiring no specialist tools.
- The self contained drawer packs include all the components required to assemble a free standing unit and can be added to at any time in the future.

ID Number	Description	Finish
87100410	1 Shallow / 3 Medium Drawers 450 x 540 x 740mm	White



**HOLDERS for closet rods**

**Features**

- Install a closet rod between two drawer units or between one unit and the wall.

ID Number	Description	Finish
87107793	Frame to frame holder	White
87107795	Frame to wall holder	White

## SHELVING

### elfa® décor



### elfa® décor Range

#### Features

- The closet system has solutions for shoes, suits, ties, sweaters, trousers. It is all there, always at hand. Powerful design and function handle your belongings with care and blend with your own interior style.
- The combination of wood and metal creates a beautiful and exclusive storage solution.

ID Number	Description	Finish
87105804	Top track 813mm	Platinum
87105806	Top track 2031mm	Platinum
87100386	Hang standard 1200mm	Platinum
87100387	Hang standard 2010mm	Platinum
87100391	Bracket VS42	Platinum
87105813	Ventilated shelf 405mm x 610mm	Platinum
87100405	Rail holder	Platinum
87105821	Closet rod, length 1245 mm	Platinum
87111927	End cap, chrome, 2-pack	Chrome
87107788	Shelf basket 437mm x 610mm	Platinum
87109049	Shelf basket divider, birch, 2-pack	Birch
87105824	Basket frame (inc glides)	Platinum/Birch
87105825	Basket 527mm x 427mm x 85mm	Platinum
87105826	Basket 527mm x 427mm x 185mm	Platinum
87105827	Basket 527mm x 427mm x 285mm	Platinum
87105828	Trouser rack, gliding	Platinum/Birch
87105831	Tie and belt rack	Platinum
87105811	Bracket cover, left	Platinum
87105812	Bracket cover, right	Platinum
87105816	Fascia strip	Birch

**BJ Waller Ltd,  
20 Wilburton Road  
Stretham, Ely  
Cambridgeshire  
CB6 3LN  
Tel: 01353 647111  
Fax: 01353 648899  
Email: [sales@bjwaller.co.uk](mailto:sales@bjwaller.co.uk)  
Web: [www.bjwaller.co.uk](http://www.bjwaller.co.uk)**